www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

TEAD1

Reactivity: Human Mouse Rat

Tested applications: WB IHC IF IP ChIP

Recommended Dilution: WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200 IP 1:50 - 1:200

ChIP 1:20 - 1:100

Calculated MW:47kDa

Observed MW:Refer to figures

Immunogen:

Recombinant protein of human TEAD1

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol,

pH7.3.

Synonym:

AA; REF1; TCF13; TEF-1; NTEF-1; TCF-13; TEAD-1;

Background:

This gene encodes a ubiquitous transcriptional enhancer factor that is a member of the TEA/ATTS domain family. This protein directs the transactivation of a wide variety of genes and, in placental cells, also acts as a transcriptional repressor. Mutations in this gene cause Sveinsson's chorioretinal atrophy. Additional transcript variants have been described but their full-length natures have not been experimentally verified.

To place an order, please Click HERE.



Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:7003 Isotype:IgG

Swiss Prot:P28347

Purity: Affinity purification

For research use only.



