www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

# **NUDT16 Human**

Description: NUDT16 produced in E.Coli is a single, non-glycosylated polypeptide chain containing 215 amino acids (1-195a.a.) and having a molecular mass of 23.4kDa.NUDT16 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.

For research use only.

Catalog #:ENPS-060

Synonyms: Nudix (nucleoside diphosphate linked moiety X)-Type Motif 16, FLJ31265, FLJ34034, FLJ36248, U8 snoRNA-binding protein H29K, U8 snoRNA-decapping enzyme.

Source: Escherichia Coli.

Physical Appearance: Sterile Filtered clear solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MAGARRLELG EALALGSGWR HACHALLYAP DPGMLFGRIP LRYAILMOMR FDGRLGFPGG FVDTODRSLE DGLNRELREE LGEAAAAFRV ERTDYRSSHV GSGPRVVAHF YAKRLTLEEL LAVEAGATRA KDHGLEVLGL VRVPLYTLRD GVGGLPTFLE NSFIGSAREQ LLEALQDLGL LQSGSISGLK IPAHH

Purity: Greater than 95% as determined by SDS-PAGE.

## Formulation:

The NUDT16 protein solution (1mg/1ml) is formulated in 20mM Tris-HCl buffer (pH8.0) 1mM DTT, 100mM NaCl and 10% glycerol.

## Usage:

NeoBiolabs products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

## Introduction:

NUDT16 is nuclear nucleoside diphosphatase proteins restricted in foci in the nucleolus and nucleoplasm. NUDT16 is a RNA-decapping enzyme. It binds specifically to U8 snoRNA and can remove m7G and m227G caps from RNAs, rendering them substrates for 5-3 exonucleases for degradation in vivo.

# Storage:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. Please avoid freeze thaw cycles.

To place an order, please Click HERE.





