

BRAF

Reactivity:Human

Tested applications:WB IHC

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200

Calculated MW:94kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human BRAF

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

boq

Synonym:

B-RAF1;BRAF1;NS7;RAFB1;Proto-oncogeneB-Raf;p94;v-Raf murine sarcoma viral oncogene homolog B1 antibody;

Catalog #:A0038

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:673

Isotype:IgG

Swiss Prot:P15056

Purity:Affinity purification

For research use only.

Background:

B-Raf, also known as c-Rmil, is a Serine/Threonine protein kinase member of the Raf family which includes Raf-1 and A-Raf. B-Raf is involved in the transduction of mitogenic signals from the cell membrane to the nucleus. Composed of three conserved regions (CR1, CR2, CR3) B-Raf is expressed primarily in the brain and in the nervous system. It has been observed that MAPK is activated by B-Raf in response to nerve growth factor. More than 60% of malignant melanomas were found to contain a specific mutation, B-Raf (V599E) the product of which possesses constitutive kinase activity. Mutations in B-Raf have also been identified in lung cancer and non-Hodgkin lymphoma.

To place an order, please [Click HERE](#).