www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

CTCF

Reactivity:Human Mouse

Tested applications:WB

 Recommended Dilution:WB 1:200 - 1:2000

 Calculated MW:83kDa

 Observed MW:Refer to Figures

 Immunogen:

 A synthetic peptide of human CTCF

 Storage Buffer:

 Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

 Concentration:

 f

 Synonym:

CTCF;

Background:

Transcriptional insulators are DNA elements that set boundaries on the actions of enhancer and silencer elements and thereby organize the eukaryotic genome into regulatory domains. All vertebrate insulators appear to use the versatile CTCF protein. CTCF uses various combinations of its 11 zinc fingers to recognize a variety of unrelated DNA sequences. Once bound to DNA, CTCF can function as a transcriptional insulator, repressor, or activator, depending on the context of the binding site [PMID:12787766,15454938]. In vertebrates, this 11 zinc-finger protein is shown to be crucial in processes of epigenetic imprinting, X chromosome inactivation , and associated with various complex human diseases including cancer and diabetes [PMID:23139640].

To place an order, please Click HERE.



Catalog #:A0171 Antibody Type: Polyclonal Antibody Species:Rabbit Gene ID:10664 Isotype:IgG Swiss Prot:P49711 Purity:Affinity purification

For research use only.



