

## OLFM1

**Reactivity:** Human Mouse Rat

**Tested applications:** WB IHC

**Recommended Dilution:** WB 1:500 - 1:2000 IHC 1:50 - 1:200

**Calculated MW:** 55kDa

**Observed MW:** Refer to Figures

**Immunogen:**

Recombinant Protein of human OLFM1

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

OLFM1 ; NOELIN1; AMY; olfactomedin 1; NOE1; Noelin

**Catalog #:** A0261

**Antibody Type:**

Polyclonal Antibody

**Species:** Rabbit

**Gene ID:** 10439

**Isotype:** IgG

**Swiss Prot:** Q99784

**Purity:** Affinity purification

For research use only.

**Background:**

The Olfactomedin family comprises a diverse group of secreted glycoproteins, which includes OLFM1 (Noelin-1), OLFM2 (Noelin-2), OLFM3 (Noelin-3), OLFM4 (Noelin-4), tiarin, pancortin, gliomedin and mycocilin. These proteins are implicated in the development of the nervous system. Specifically, OLFM1 and OLFM2 expression is observed in the neural plate and neural crest, as well as in the cranial ganglia in mouse at E8-10, and later in brain tissue and in the zone of polarizing activity in the limb. Overexpression of OLFM1 causes an excess of neural crest emigrations and prolonged neural crest production. OLFM2 participates in the regulation of the development of the anterior nervous system. An Arg144Gln mutation in OLFM2 has been implicated as a possible cause for open-angle glaucoma (OAG).

**To place an order, please [Click HERE](#).**