

ATF2

Reactivity: Human

Tested applications: WB IHC ICC IP

Recommended Dilution: WB 1:500 - 1:2000 IHC 1:50 - 1:100 ICC 1:50 - 1:200 IP 1:20 - 1:50

Calculated MW: 70kDa

Observed MW: Refer to Figures

Immunogen:

Recombinant protein of human ATF2

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

fk

Synonym:

HB16; CREB2; TREB7; CRE-BP1;

Catalog #: A0757

Antibody Type:

Polyclonal Antibody

Species: Rabbit

Gene ID: 1386

Isotype: IgG

Swiss Prot: P15336

Purity: Affinity purification

For research use only.

Background:

This gene encodes a transcription factor that is a member of the leucine zipper family of DNA binding proteins. This protein binds to the cAMP-responsive element (CRE), an octameric palindrome. It forms a homodimer or a heterodimer with c-Jun and stimulates CRE-dependent transcription. This protein is also a histone acetyltransferase (HAT) that specifically acetylates histones H2B and H4 in vitro; thus it may represent a class of sequence-specific factors that activate transcription by direct effects on chromatin components. Several alternatively spliced transcript variants have been found for this gene.

To place an order, please [Click HERE](#).