

## EPHA8

**Reactivity:** Human Mouse

**Tested applications:** WB

**Recommended Dilution:** WB 1:1000 - 1:2000

**Calculated MW:** 111kDa

**Observed MW:** Refer to figures

**Immunogen:**

Recombinant protein of human EPHA8

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

EEK; EK3; HEK3;

**Catalog #:** A10213

**Antibody Type:**

Polyclonal Antibody

**Species:** Rabbit

**Gene ID:** 2046

**Isotype:** IgG

**Swiss Prot:** P29322

**Purity:** Affinity purification

For research use only.

**Background:**

This gene encodes a member of the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. The protein encoded by this gene functions as a receptor for ephrin A2, A3 and A5 and plays a role in short-range contact-mediated axonal guidance during development of the mammalian nervous system.

**To place an order, please [Click HERE](#).**