

## MOK

---

**Reactivity:**Human Mouse Rat

**Tested applications:**WB IHC

**Recommended Dilution:**WB 1:500 - 1:2000 IHC 1:50 - 1:200

**Calculated MW:**48kDa

**Observed MW:**Refer to Figures

**Immunogen:**

Recombinant protein of human MOK

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

MOK; RAGE; RAGE-1; RAGE1;

**Background:**

This gene belongs to the MAP kinase superfamily. The gene was found to be regulated by caudal type transcription factor 2 (Cdx2) protein. The encoded protein, which is localized to epithelial cells in the intestinal crypt, may play a role in growth arrest and differentiation of cells of upper crypt and lower villus regions. Multiple alternatively spliced transcript variants encoding different isoforms have been observed for this gene. [provided by RefSeq, Dec 2012]

*To place an order, please [Click HERE](#).*

**Catalog #:**A1786

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**5891

**Isotype:**IgG

**Swiss Prot:**Q9UQ07

**Purity:**Affinity purification

For research use only.