www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

## BMI1

Reactivity: Human Mouse

Tested applications: WB IHC IF IP

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:20 - 1:50 IP 1:20 - 1:50

Calculated MW:37kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human BMI1

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol,

pH7.3.

Concentration:

fl

Synonym:

PCGF4; RNF51; FLVI2/BMI1;

Background:

BMI- 1 is one of polycomb group genes, which together with Ring1 strongly enhances the E3 ubiquitin ligase activity of the Ring2 catalytic subunit. Bmi1 plays an important role in the regulation of cell proliferation and senescence through repression of the p16lnk4a and p19Arf genes and is required for maintenance of adult hematopoietic and neural stem cells The antibody 10832-1-AP detected proteins of 45-48kda, which may include phosphorylated isoforms of the

To place an order, please Click HERE.

**Antibody Type:** 

Polyclonal Antibody

Species:Rabbit

Gene ID:648

Isotype:IgG

Swiss Prot:P35226

Purity: Affinity purification

For research use only.



