

## USO1

**Reactivity:**Human Mouse Rat

**Tested applications:**WB IHC IF IP

**Recommended Dilution:**WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200 IP 1:20 - 1:50

**Calculated MW:**108kDa

**Observed MW:**Refer to Figures

**Immunogen:**

A synthetic peptide of human USO1

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:**

j

**Synonym:**

TAP;VDP;P115;

**Catalog #:**A2796

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**8615

**Isotype:**IgG

**Swiss Prot:**O60763

**Purity:**Affinity purification

For research use only.

**Background:**

The protein encoded by this gene is a peripheral membrane protein which recycles between the cytosol and the Golgi apparatus during interphase. It is regulated by phosphorylation: dephosphorylated protein associates with the Golgi membrane and dissociates from the membrane upon phosphorylation. Ras-associated protein 1 recruits this protein to coat protein complex II (COPII) vesicles during budding from the endoplasmic reticulum, where it interacts with a set of COPII vesicle-associated SNAREs to form a cis-SNARE complex that promotes targeting to the Golgi apparatus. Transport from the ER to the cis/medial Golgi compartments requires the action of this gene product, GM130 and giantin in a sequential manner.

*To place an order, please [Click HERE](#).*