

RTN4

Reactivity:Human

Tested applications:WB

Recommended Dilution:WB 1:500 - 1:2000

Calculated MW:130kDa

Observed MW:Refer to Figures

Immunogen:

A synthetic peptide of human RTN4

Storage Buffer:

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

bj

Synonym:

ASY; NSP; NOGO; NOGOC; RTN-X; NOGO-A; NSP-CL; Nogo-B; Nogo-C; RTN4-A; RTN4-C;
RTN4-B1; RTN4-B2; NI220/250; Nbla00271; Nbla10545;

Background:

This gene belongs to the family of reticulon encoding genes. Reticulons are associated with the endoplasmic reticulum, and are involved in neuroendocrine secretion or in membrane trafficking in neuroendocrine cells. The product of this gene is a potent neurite outgrowth inhibitor which may also help block the regeneration of the central nervous system in higher vertebrates. Alternatively spliced transcript variants derived both from differential splicing and differential promoter usage and encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]

To place an order, please [Click HERE](#).

Catalog #:A3138

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:57142

Isotype:IgG

Swiss Prot:Q9NQC3

Purity:Affinity purification

For research use only.