

TFE3

Reactivity:Human Mouse

Tested applications:WB IF

Recommended Dilution:WB 1:500 - 1:2000 IF 1:20 - 1:50

Calculated MW:62kDa

Observed MW:Refer to figures

Immunogen:

A synthetic Peptide of human TFE3

Storage Buffer:

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

k

Synonym:

TFEA; RCCP2; RCCX1; bHLHe33;

Catalog #:A4153

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:7030

Isotype:IgG

Swiss Prot:P19532

Purity:Affinity purification

For research use only.

Background:

This gene encodes a basic helix-loop-helix domain-containing transcription factor that binds MUE3-type E-box sequences in the promoter of genes. The encoded protein promotes the expression of genes downstream of transforming growth factor beta (TGF-beta) signaling. This gene may be involved in chromosomal translocations in renal cell carcinomas and other cancers, resulting in the production of fusion proteins. Translocation partners include PRCC (papillary renal cell carcinoma), NONO (non-POU domain containing, octamer-binding), and ASPSCR1 (alveolar soft part sarcoma chromosome region, candidate 1), among other genes. Alternative splicing results in multiple transcript variants.

To place an order, please [Click HERE](#).