

## MMP28

**Reactivity:** Human Mouse Rat

**Tested applications:** WB IHC

**Recommended Dilution:** WB 1:500 - 1:2000 IHC 1:20 - 1:200

**Calculated MW:** 59kDa

**Observed MW:** Refer to figures

**Immunogen:**

A synthetic Peptide of human MMP28

**Storage Buffer:**

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

MM28; MMP25; MMP-25; MMP-28; EPILYSIN;

**Catalog #:** A4961

**Antibody Type:**

Polyclonal Antibody

**Species:** Rabbit

**Gene ID:** 79148

**Isotype:** IgG

**Swiss Prot:** Q9H239

**Purity:** Affinity purification

For research use only.

**Background:**

Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix for both normal physiological processes, such as embryonic development, reproduction and tissue remodeling, and disease processes, such as asthma and metastasis. This gene encodes a secreted enzyme that degrades casein. Its expression pattern suggests that it plays a role in tissue homeostasis and in wound repair. Alternative splicing of this gene results in multiple transcript variants.

*To place an order, please [Click HERE](#).*