www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

## CDC5L

Reactivity: Human Mouse Rat

Tested applications: WB IHC IF

Recommended Dilution: WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:10 - 1:100

Calculated MW:92kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human CDC5L

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol,

pH7.3.

Concentration:

Synonym:

CDC5; CEF1; PCDC5RP; CDC5-LIKE; dJ319D22.1;

Background:

The protein encoded by this gene shares a significant similarity with Schizosaccharomyces pombe cdc5 gene product, which is a cell cycle regulator important for G2/M transition. This protein has been demonstrated to act as a positive regulator of cell cycle G2/M progression. It was also found to be an essential component of a non-snRNA spliceosome, which contains at least five additional protein factors and is required for the second catalytic step of pre-mRNA splicing.

To place an order, please Click HERE.



Catalog #:A5560

**Antibody Type:** 

Polyclonal Antibody

Species:Rabbit

Gene ID:988

Isotype:IgG

Swiss Prot:Q99459

Purity: Affinity purification

For research use only.





