

## DCLRE1C

**Reactivity:** Human Mouse Rat

**Tested applications:** WB IHC IF

**Recommended Dilution:** WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200

**Calculated MW:** 78kDa

**Observed MW:** Refer to Figures

**Immunogen:**

Recombinant protein of human DCLRE1C

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:**

e

**Synonym:**

SCIDA; SNM1C; A-SCID; hSNM1C; RS-SCID; DCLREC1C;

**Catalog #:** A5615

**Antibody Type:**

Polyclonal Antibody

**Species:** Rabbit

**Gene ID:** 64421

**Isotype:** IgG

**Swiss Prot:** Q96SD1

**Purity:** Affinity purification

For research use only.

**Background:**

This gene encodes a nuclear protein that is involved in V(D)J recombination and DNA repair. The protein has single-strand-specific 5'-3' exonuclease activity; it also exhibits endonuclease activity on 5' and 3' overhangs and hairpins when complexed with protein kinase, DNA-activated, catalytic polypeptide. Mutations in this gene cause Athabaskan-type severe combined immunodeficiency (SCIDA).

*To place an order, please [Click HERE](#).*