

## RPL27

**Reactivity:** Human Mouse

**Tested applications:** WB IHC

**Recommended Dilution:** WB 1:200 - 1:2000 IHC 1:50 - 1:200

**Calculated MW:** 16kDa

**Observed MW:** Refer to Figures

**Immunogen:**

A synthetic peptide of human RPL27

**Storage Buffer:**

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:**

j

**Synonym:**

L27;

**Catalog #:** A5936

**Antibody Type:**

Polyclonal Antibody

**Species:** Rabbit

**Gene ID:** 6155

**Isotype:** IgG

**Swiss Prot:** P61353

**Purity:** Affinity purification

For research use only.

**Background:**

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L27E family of ribosomal proteins. It is located in the cytoplasm. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.

**To place an order, please [Click HERE](#).**