

## TARBP1

---

**Reactivity:**Human

**Tested applications:**WB IP

**Recommended Dilution:**WB 1:500 - 1:2000 IP 1:20 - 1:50

**Calculated MW:**181kDa

**Observed MW:**Refer to Figures

**Immunogen:**

A synthetic peptide of human TARBP1

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

TRM3; TRP185; TRP-185;

**Catalog #:**A6073

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**6894

**Isotype:**IgG

**Swiss Prot:**Q13395

**Purity:**Affinity purification

For research use only.

**Background:**

HIV-1, the causative agent of acquired immunodeficiency syndrome (AIDS), contains an RNA genome that produces a chromosomally integrated DNA during the replicative cycle. Activation of HIV-1 gene expression by the transactivator Tat is dependent on an RNA regulatory element (TAR) located downstream of the transcription initiation site. This element forms a stable stem-loop structure and can be bound by either the protein encoded by this gene or by RNA polymerase II. This protein may act to disengage RNA polymerase II from TAR during transcriptional elongation. Alternatively spliced transcripts of this gene may exist, but their full-length natures have not been determined.

**To place an order, please [Click HERE](#).**