

## CLEC12A

**Reactivity:** Human Mouse Rat

**Tested applications:** WB IHC

**Recommended Dilution:** WB 1:500 - 1:2000 IHC 1:50 - 1:200

**Calculated MW:** 30kDa

**Observed MW:** Refer to Figures

**Immunogen:**

Recombinant protein of human CLEC12A

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

CLL1; MICL; CLL-1; DCAL-2;

**Catalog #:** A6250

**Antibody Type:**

Polyclonal Antibody

**Species:** Rabbit

**Gene ID:** 160364

**Isotype:** IgG

**Swiss Prot:** Q5QGZ9

**Purity:** Affinity purification

For research use only.

**Background:**

This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signaling, glycoprotein turnover, and roles in inflammation and immune response. The protein encoded by this gene is a negative regulator of granulocyte and monocyte function. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been determined. This gene is closely linked to other CTL/CTLD superfamily members in the natural killer gene complex region on chromosome 12p13.

**To place an order, please [Click HERE](#).**