

TAC3

Reactivity:Human Mouse Rat

Tested applications:WB IHC IF

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:10 - 1:100

Calculated MW:13kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human TAC3

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

NKB; HH10; NKNB; PRO1155; ZNEUROK1;

Catalog #:A6312

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:6866

Isotype:IgG

Swiss Prot:Q9UHF0

Purity:Affinity purification

For research use only.

Background:

This gene encodes a member of the tachykinin family of secreted neuropeptides. The encoded protein is primarily expressed in the central and peripheral nervous system and functions as a neurotransmitter. This protein is the ligand for the neurokinin-3 receptor. This protein is also expressed in the outer syncytiotrophoblast of the placenta and may be associated with pregnancy-induced hypertension and pre-eclampsia. Mutations in this gene are associated with normosmic hypogonadotropic hypogonadism. Alternate splicing results in multiple transcript variants.

To place an order, please [Click HERE](#).