

## CPSF3L

**Reactivity:**Human

**Tested applications:**WB IHC IF

**Recommended Dilution:**WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:10 - 1:100

**Calculated MW:**67kDa

**Observed MW:**Refer to figures

**Immunogen:**

Recombinant protein of human CPSF3L

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

RC68; INT11; RC-68; INTS11; CPSF73L;

**Catalog #:**A6566

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**54973

**Isotype:**IgG

**Swiss Prot:**Q5TA45

**Purity:**Affinity purification

For research use only.

**Background:**

The Integrator complex contains at least 12 subunits and associates with the C-terminal domain of RNA polymerase II large subunit (POLR2A; MIM 180660) and mediates the 3-prime end processing of small nuclear RNAs U1 (RNU1; MIM 180680) and U2 (RNU2; MIM 180690).

INTS11, or CPSF3L, is the catalytic subunit of the Integrator complex (Baillat et al., 2005

*To place an order, please [Click HERE](#).*