

STAMPB

Reactivity:Human Mouse Rat

Tested applications:WB IHC IF

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:100

Calculated MW:48kDa

Observed MW:Refer to figures

Immunogen:

Recombinant protein of human STAMPB

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

AMSH; MICCAP;

Background:

Cytokine-mediated signal transduction in the JAK-STAT cascade requires the involvement of adaptor molecules. One such signal-transducing adaptor molecule contains an SH3 domain that is required for induction of MYC and cell growth. The protein encoded by this gene binds to the SH3 domain of the signal-transducing adaptor molecule, and plays a critical role in cytokine-mediated signaling for MYC induction and cell cycle progression. Multiple alternatively spliced transcript variants encoding the same protein isoform have been found for this gene.

To place an order, please [Click HERE](#).

Catalog #:A7065

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:10617

Isotype:IgG

Swiss Prot:O95630

Purity:Affinity purification

For research use only.