www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

DLG4

Reactivity: Human Mouse

Tested applications: WB IHC

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200

Calculated MW:80kDa

Observed MW:Refer to figures

Immunogen:

A synthetic peptide of human DLG4

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol,

pH7.3.

Concentration:

Synonym:

PSD95; SAP90; SAP-90;

Background:

This gene encodes a member of the membrane-associated guanylate kinase (MAGUK) family. It heteromultimerizes with another MAGUK protein, DLG2, and is recruited into NMDA receptor and potassium channel clusters. These two MAGUK proteins may interact at postsynaptic sites to form a multimeric scaffold for the clustering of receptors, ion channels, and associated signaling proteins. Multiple transcript variants encoding different isoforms have been found for this gene.

To place an order, please Click HERE.

Catalog #:A7889

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:1742 Isotype:IgG

Swiss Prot:P78352

Purity: Affinity purification

For research use only.





