

XDH

Reactivity:Human Mouse

Tested applications:WB IHC FC

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:100 FC1:20 - 1:50

Calculated MW:146kDa

Observed MW:Refer to Figures

Immunogen:

A synthetic peptide of human XDH

Storage Buffer:

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

XO; XOR

Catalog #:A8302

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:7498

Isotype:IgG

Swiss Prot:P47989

Purity:Affinity purification

For research use only.

Background:

Xanthine dehydrogenase belongs to the group of molybdenum-containing hydroxylases involved in the oxidative metabolism of purines. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Xanthine dehydrogenase can be converted to xanthine oxidase by reversible sulfhydryl oxidation or by irreversible proteolytic modification. Defects in xanthine dehydrogenase cause xanthinuria, may contribute to adult respiratory stress syndrome, and may potentiate influenza infection through an oxygen metabolite-dependent mechanism.

To place an order, please [Click HERE](#).