

## ABCC2

**Reactivity:**Human

**Tested applications:**WB

**Recommended Dilution:**WB 1:500 - 1:2000

**Calculated MW:**174kDa

**Observed MW:**Refer to figures

**Immunogen:**

Recombinant protein of human ABCC2

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

DJS; MRP2; cMRP; ABC30; CMOAT;

**Background:**

The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MRP subfamily which is involved in multi-drug resistance. This protein is expressed in the canalicular (apical) part of the hepatocyte and functions in biliary transport. Substrates include anticancer drugs such as vinblastine; therefore, this protein appears to contribute to drug resistance in mammalian cells. Several different mutations in this gene have been observed in patients with Dubin-Johnson syndrome (DJS), an autosomal recessive disorder characterized by conjugated hyperbilirubinemia.

**To place an order, please [Click HERE](#).**

**Catalog #:**A8405

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**1244

**Isotype:**IgG

**Swiss Prot:**Q92887

**Purity:**Affinity purification

For research use only.