www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

Anserine HYD ELISA Kit

Description:Hydrocortisone

SAMPLE TYPE: Cell culture supernatant, Urine, Serum, Plasma **CROSS REACTS WITH:**Anserine

PRODUCT OVERVIEW: The ELISA (Enzyme-Linked Immunosorbent Assay) kit is an in vitro enzyme-linked immunosorbent assay for the quantitative measurement of samples in serum, plasma, cell culture supernatants and urine.

INTENDED USE: This Anserine HYD ELISA kit is intended for laboratory research use only and not for use in diagnostic or therapeutic procedures. The stop solution changes color from blue to yellow and the intensity of the color is measured at 450 nm using a spectrophotometer. In order to measure the concentration of Anserine HYD in the sample, this Anserine HYD ELISA Kit includes a set of calibration standards. The calibration standards are assayed at the same time as the samples and allow the operator to produce a standard curve of optical density versus Anserine HYD concentration. The concentration of the samples is then determined by comparing the O.D. of the samples to the standard curve.

STORAGE INSTRUCTIONS: Store at 4°C

SAFETY NOTES:

- 1. This kit contains materials with small quantities of sodium azide. Sodium azide reacts with lead and copper plumbing to form explosive metal azides. Upon disposal, flush drains with a large volume of water to prevent azide accumulation. Avoid ingestion and contact with eyes, skin or mucous membranes. In the case of contact, rinse the affected area with plenty of water. Observe all federal, state and local regulations for disposal.
- 2. All blood components and biological materials should be handled as potentially hazardous. Follow universal precautions as established by the Centers for Disease Control and Prevention and by the Occupational Safety and Health Administration when handling and disposing of infectious agents.

To place an order, please Click HERE.



Catalog #:AH0322

Sample Volume:100 ul

Assay Time:90 minutes

Principle:

Instrument: Microplate Reader

Conjugate:HRP

Detection Method:Colorimetric

COMPONENTS:

Microtiter Plate

Enzyme Conjugate

Standards

Substrate A

Substrate B Stop Solution

Wash Solution

Balance Solution

For research use only.





