

APOA5 Human

Description:APOA5 Human Recombinant produced in E.Coli is a single, non-glycosylated polypeptide chain containing 366 amino acids (24-366 a.a.) and having a molecular mass of 41.3kDa.APOA5 is fused to a 23 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.

Catalog #:CYP5-775

For research use only.

Synonyms:Apolipoprotein A-V, Apo-AV, ApoA-V, Apolipoprotein A5, Regeneration-associated protein 3, APOA5, RAP3, APOAV.

Source:Escherichia Coli.

Physical Appearance:Sterile filtered colorless solution.

Amino Acid Sequence:MGSSHHHHHH SSGLVPRGSH MGSRKGFWDY FSQTSGDKGR
VEQIHQQKMA REPATLKDSL EQDLNMMNKF LEKLRPLSGS EAPRLPQDPV GMRRQLQEEL
EEVKARLPQY MAEAHELVGW NLEGLRQQLK PYTMDLMEQV ALRVQELQEQ LRVVGEDTKA
QLLGGVDEAW ALLQGLQSRV VHHTGRFKEL FHPYAESLVS GIGRHVQELH RSVAPHAPAS
PARLSRCVQV LS

Purity:Greater than 85.0% as determined by SDS-PAGE.

Formulation:

APOA5 protein solution (0.25mg/ml) contains 20mM Tris-HCl buffer (pH 8.0), 10% glycerol and 0.4M Urea.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Avoid multiple freeze-thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. They may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

ApoA5 is an important regulator of serum triglyceride concentrations. An ApoA5 mouse knock-out model produced an approximately four fold increase in serum triglycerides, whereas a knock-in model human ApoA5 produced 50-70% lower concentrations of mouse serum triglycerides. Furthermore, peroxisome proliferators-activated receptoragonists, which are used clinically to lower serum triglyceride concentrations, cause increased ApoA5 mRNA expression. There is very little known about ApoA5 protein in human serum. Lately, it was established that ApoA5 is present in the human serum and it can be detected by polyclonal antibodies against both the HN2 and COOH termini, but at much lower concentration than other Apolipoproteins.

To place an order, please [Click HERE](#).