

CYSH E.Coli

Description: CYSH produced in E.Coli is a single, non-glycosylated polypeptide chain containing 264 amino acids (1-244 a.a.) and having a molecular mass of 30.1kDa. CYSH is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.

Catalog #: ENPS-138

Synonyms: Phosphoadenosine phosphosulfate reductase, 3'-phosphoadenylylsulfate reductase, PAPS reductase, thioredoxin dependent, PAPS sulfotransferase, PAdoPS reductase, cysH, b2762, JW2732.

For research use only.

Source: Escherichia Coli.

Physical Appearance: Sterile filtered colorless solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MSKLDLNLN ELPKVDRILA
LAETNAELEK LDAEGRVAWA LDNLPGYVL SSSFGIQAAY SLHLVNQIRP DIPVILTDTG
YLPETRYRFI DELTDKLN LKVYRATESA AWQEARYGKL WEQGVGIEK YNDINKVEPM
NRALKELNAQ TWFAGLRREQ SGSRLNLPVL AIQRGVFKVL PIIDWDNRTI YQYLQKHGLK
YHPLWDEGYL SV

Purity: Greater than 90.0% as determined by SDS-PAGE.

Formulation:

CYSH protein solution (0.5mg/ml) 20mM Tris-HCl buffer (pH 8.0), 1mM DTT, 10% glycerol and 50mM NaCl.

Stability:

CYSH E.Coli Recombinant although stable at 4°C for 1 week, should be stored below -18°C.
Please prevent freeze thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

CysH (Phosphoadenosine phosphosulfate reductase) is a member of the PAPS reductase family, specifically those acting on a sulfur group of donors with a disulfide as acceptor. The 3 substrates of the CysH enzyme are adenosine 3',5'-bisphosphate, sulfite, and thioredoxin disulfide, whereas its two products are 3'-phosphoadenylyl sulfate and thioredoxin.

To place an order, please [Click HERE](#).