www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

DHRS4 Human

Description: DHRS4 Human Recombinant produced in E.coli is a single, non-glycosylated polypeptide chain containing 302 amino acids (1-278) and having a molecular mass of 32.1kDa.DHRS4 is fused to a 24 amino acid His-tag at N-terminus & Driftied by proprietary chromatographic techniques.

Catalog #:ENPS-214

For research use only.

Synonyms: Dehydrogenase/reductase SDR family member 4, NADPH-dependent carbonyl reductase/NADP-retinol dehydrogenase, CR, PHCR, NADPH-dependent retinol dehydrogenase/reductase, NRDR, humNRDR, Peroxisomal short-chain alcohol dehydrogenase, PSCD, SCAD-SRL, Short-chai

Source: Escherichia Coli.

Physical Appearance: Sterile Filtered colorless solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSHMHKAGL LGLCARAWNS VRMASSGMTR RDPLANKVAL VTASTDGIGF AIARRLAQDG AHVVVSSRKQ QNVDQAVATL QGEGLSVTGT VCHVGKAEDR ERLVATAVKL HGGIDILVSN AAVNPFFGSI MDVTEEVWDK TLDINVKAPA LMTKAVVPEM EKRGGGSVVI VSSIAAFSPS PGFSPYNVSK TALLGLTKTL AIELAPRNIR VN

Purity: Greater than 85.0% as determined by SDS-PAGE.

Formulation:

The DHRS4 solution (0.25mg/ml) contains 20mM Tris-HCl buffer (pH7.5), 20% glycerol and 1mM DTT.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drµgs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

Dehydrogenase/reductase SDR family member 4 (DHRS4) is a member of the short-chain dehydrogenases/reductases (SDR) family. DHRS4 reduces all trans retinal and 9-cis retinal. In addition, the DHRS4 protein can catalyze the oxidation of all trans retinol with NADP as cofactor, but with a much lower efficiency. Furthermore, DHRS4 reduces alkyl phenyl ketones and alpha dicarbonyl compounds with aromatic rings, such as pyrimidine 4 aldehyde, 3 benzoylpyridine, 4 benzoylpyridine, menadione and 4 hexanoylpyridine.

To place an order, please Click HERE.





