

## FABP6 Human

**Description:**FABP6 Human Recombinant produced in E.Coli is a single, non-glycosylated polypeptide chain containing 128 amino acids and having a molecular mass of 14 kDa.

**Catalog #:**PRPS-656

**Synonyms:**I-BABP, ILBP, I-15P, I-BAP, ILBP3, ILLBP, I-BABP, I-BALB, FABP-6, Gastrotropin, Ileal lipid-binding protein, Intestinal 15 kDa protein, Intestinal bile acid-binding protein, Fatty acid-binding protein 6, FABP6.

For research use only.

**Source:**Escherichia Coli.

**Physical Appearance:**Sterile Filtered colorless solution.

**Amino Acid Sequence:**MAFTGKFEME SEKNYDEFMK LLGISSDVIE KAHNFKIVTE  
VQQDGDFTW SQHYGGHTM TNKFTVGKES NIQTMGGKTF KATVQMEGGK LVVNFPNYHQ  
TSEIVGDKLV EVSTIGGVTY ERVSKRLA.

**Purity:**Greater than 95.0% as determined by:(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.

**Formulation:**

The FABP6 protein solution contains 1xPBS pH-7.4 and 10% Glycerol.

**Stability:**

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Avoid multiple freeze-thaw cycles.

**Usage:**

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

**Introduction:**

FABP6 also called ileal fatty acid binding protein, is part of the small family of highly conserved, cytoplasmic proteins that bind long-chain fatty acids and other hydrophobic ligands. FABP6 cytosolic protein binds bile acid. FABP6 plays a role in fatty acid uptake, transport, and metabolism. FABP6 stimulates gastric acid and pepsinogen secretion. seems to be able to bind to bile salts and bilirubins.FABP6 expression is restricted in the small intestine to the ileum where it is involved in the enterohepatic circulation of bile acids. Alternate transcription promoters generate 2 transcript variants, encoding a 128 aa and a 177 aa residue protein. Human FABP6 isoform 2 contains 128 amino acid residues and is acetylated on Ala2. FABP6 binds together fatty acids and bile acids and is directly involved in fatty acid transport and metabolism.

**To place an order, please [Click HERE](#).**